

Computer

Summary

Computer

Processor	2x Intel(R) Core(TM)2 CPU 4400 @ 2.00GHz
Memory	3329MB (444MB used)
Operating System	Linux Mint 18 Sarah
User Name	juancar (Juan Carlos Polo Madrid)
Date/Time	lun 12 dic 2016 10:54:36 CET

Display

Resolution	1024x768 pixels
OpenGL Renderer	Mesa DRI Intel(R) 945G
X11 Vendor	The X.Org Foundation

Multimedia

Audio Adapter	HDA-Intel - HDA Intel
---------------	-----------------------

Input Devices

Power Button
Power Button
Logitech USB Receiver
Logitech USB Receiver
HDA Intel Rear Mic
HDA Intel Front Mic
HDA Intel Line
HDA Intel Line Out Front
HDA Intel Line Out Surround
HDA Intel Line Out CLFE
HDA Intel Line Out Side

Printers

No printers found

SCSI Disks

ATA Maxtor 6L200P0
SAMSUNG DVD-ROM SD-616E
Linux File-CD Gadget
Linux File-CD Gadget

Operating System

Version

Kernel	Linux 4.4.0-38-generic (x86_64)
Compiled	#57-Ubuntu SMP Tue Sep 6 15:42:33 UTC 2016
C Library	Unknown
Default C Compiler	GNU C Compiler version 5.4.0 20160609 (Ubuntu 5.4.0-6ubuntu1~16.04.2)
Distribution	Linux Mint 18 Sarah

Current Session

Computer Name	LUNA-PC
User Name	juancar (Juan Carlos Polo Madrid)
Home Directory	/home/juancar
Desktop Environment	X-Cinnamon (cinnamon)

Misc

Uptime	3 minutes
Load Average	0,00, 0,00, 0,00

Kernel Modules

Loaded Modules

arc4	ARC4 Cipher Algorithm
md4	MD4 Message Digest Algorithm
nls_utf8	
cifs	VFS to access servers complying with the SNIA CIFS Specification e.g. Samba and Windows
fscache	FS Cache Manager
snd_hda_codec_realtek	Realtek HD-audio codec
snd_hda_codec_generic	Generic HD-audio codec parser
input_leds	Input -> LEDs Bridge
joydev	Joystick device interfaces
snd_hda_intel	Intel HDA driver
snd_hda_codec	HDA codec core
snd_hda_core	HD-audio bus
snd_hwdep	Hardware dependent layer
snd_pcm	Midlevel PCM code for ALSA.
snd_seq_midi	Advanced Linux Sound Architecture sequencer MIDI synth.
snd_seq_midi_event	MIDI byte <-> sequencer event coder
snd_rawmidi	Midlevel RawMidi code for ALSA.
snd_seq	Advanced Linux Sound Architecture sequencer.
coretemp	Intel Core temperature monitor
snd_seq_device	ALSA sequencer device management
snd_timer	ALSA timer interface
serio_raw	Raw serio driver
snd	Advanced Linux Sound Architecture driver for soundcards.
soundcore	Core sound module
lpc_ich	LPC interface for Intel ICH
8250_fintek	Fintek F812164 module
shpchp	Standard Hot Plug PCI Controller Driver
tpm_infineon	Driver for Infineon TPM SLD 9630 TT 1.1 / SLB 9635 TT 1.2
mac_hid	
binfmt_misc	
parport_pc	PC-style parallel port driver
ppdev	

lp	
parport	
autofs4	
btrfs	
xor	
raid6_pq	RAID6 Q-syndrome calculations
dm_mirror	device-mapper mirror target
dm_region_hash	device-mapper region hash
dm_log	device-mapper dirty region log
hid_generic	HID generic driver
usbhid	USB HID core driver
hid	
uas	
usb_storage	USB Mass Storage driver for Linux
psmouse	PS/2 mouse driver
i915	Intel Graphics
pata_acpi	SCSI low-level driver for ATA in ACPI mode
r8169	RealTek RTL-8169 Gigabit Ethernet driver
mii	MII hardware support library
pata_jmicron	SCSI low-level driver for Jmicron PATA ports
video	ACPI Video Driver
ahci	AHCI SATA low-level driver
i2c_algo_bit	I2C-Bus bit-banging algorithm
libahci	Common AHCI SATA low-level routines
drm_kms_helper	DRM KMS helper
floppy	
syscopyarea	Generic copyarea (sys-to-sys)
sysfillrect	Generic fill rectangle (sys-to-sys)
sysimgblt	1-bit/8-bit to 1-32 bit color expansion (sys-to-sys)
fb_sys_fops	Generic file read (fb in system RAM)
fjes	FUJITSU Extended Socket Network Device Driver
drm	DRM shared core routines

Boots

Boots

Mon Dec 12 11:51 44..4.0-38-generic|still

Languages

Available Languages

en_AG English language locale for Antigua and Barbuda
en_AG.utf8 English language locale for Antigua and Barbuda
en_AU.utf8 English locale for Australia
en_BW.utf8 English locale for Botswana

en_CA.utf8 English locale for Canada
 en_DK.utf8 English locale for Denmark
 en_GB.utf8 English locale for Britain
 en_HK.utf8 English locale for Hong Kong
 en_IE.utf8 English locale for Ireland
 en_IN English language locale for India
 en_IN.utf8 English language locale for India
 en_NG English locale for Nigeria
 en_NG.utf8 English locale for Nigeria
 en_NZ.utf8 English locale for New Zealand
 en_PH.utf8 English language locale for Philippines
 en_SG.utf8 English language locale for Singapore
 en_US.utf8 English locale for the USA
 en_ZA.utf8 English locale for South Africa
 en_ZM English locale for Zambia
 en_ZM.utf8 English locale for Zambia
 en_ZW.utf8 English locale for Zimbabwe
 es_AR.utf8 Spanish locale for Argentina
 es_BO.utf8 Spanish locale for Bolivia
 es_CL.utf8 Spanish locale for Chile
 es_CO.utf8 Spanish locale for Colombia
 es_CR.utf8 Spanish locale for Costa Rica
 es_CU Spanish locale for Cuba
 es_CU.utf8 Spanish locale for Cuba
 es_DO.utf8 Spanish locale for Dominican Republic
 es_EC.utf8 Spanish locale for Ecuador
 es_ES.utf8 Spanish locale for Spain
 es_GT.utf8 Spanish locale for Guatemala
 es_HN.utf8 Spanish locale for Honduras
 es_MX.utf8 Spanish locale for Mexico
 es_NI.utf8 Spanish locale for Nicaragua
 es_PA.utf8 Spanish locale for Panama
 es_PE.utf8 Spanish locale for Peru
 es_PR.utf8 Spanish locale for Puerto Rico
 es_PY.utf8 Spanish locale for Paraguay
 es_SV.utf8 Spanish locale for El Salvador
 es_US.utf8 Spanish locale for the USA
 es_UY.utf8 Spanish locale for Uruguay
 es_VE.utf8 Spanish locale for Venezuela

Filesystems

Mounted File Systems

udev	/dev	0,00 % (1,6 GiB of 1,6 GiB)
tmpfs	/run	1,70 % (319,6 MiB of 325,1 MiB)

/dev/sda3	/	12,51 % (80,1 GiB of 91,5 GiB)
tmpfs	/dev/shm	0,06 % (1,6 GiB of 1,6 GiB)
tmpfs	/run/lock	0,08 % (5,0 MiB of 5,0 MiB)
tmpfs	/sys/fs/cgroup	0,00 % (1,6 GiB of 1,6 GiB)
cgmfs	/run/cgmanager/fs	0,00 % (100,0 KiB of 100,0 KiB)
//ATLAS-SERVER/SDD1	/media/SDD1	95,57 % (82,5 GiB of 1863,0 GiB)
//ATLAS-SERVER/SDC1	/media/SDC1	96,07 % (7,3 GiB of 186,3 GiB)
//ATLAS-SERVER/SDE1	/media/SDE1	99,46 % (2,5 GiB of 465,8 GiB)
//ATLAS-SERVER/SDA5	/media/SDA5	93,12 % (2,4 GiB of 35,6 GiB)
//ATLAS-SERVER/SDB1	/media/SDB1	99,34 % (1006,3 MiB of 149,0 GiB)
tmpfs	/run/user/1000	0,00 % (325,1 MiB of 325,1 MiB)

Display

Display

Resolution	1024x768 pixels
Vendor	The X.Org Foundation
Version	1.18.3

Monitors

Monitor 0	1024x768 pixels
-----------	-----------------

Extensions

BIG-REQUESTS
 Composite
 DAMAGE
 DOUBLE-BUFFER
 DPMS
 DRI2
 GLX
 Generic Event Extension
 MIT-SCREEN-SAVER
 MIT-SHM
 Present
 RANDR
 RECORD
 RENDER
 SECURITY
 SGI-GLX
 SHAPE
 SYNC
 X-Resource
 XC-MISC
 XFIXES
 XFree86-DGA
 XFree86-VidModeExtension
 XINERAMA

XInputExtension
XKEYBOARD
XTEST
XVideo
XVideo-MotionCompensation

OpenGL

Vendor	Intel Open Source Technology Center
Renderer	Mesa DRI Intel(R) 945G
Version	1.4 Mesa 11.2.0
Direct Rendering	Yes

Environment Variables

Environment Variables

USER	juancar
XDG_SEAT	seat0
SSH_AGENT_PID	2117
HOME	/home/juancar
MDM_LANG	es_ES.UTF-8
XDG_SESSION_COOKIE	2a5d5f96ef9147c0b35535562b32d0ff-1481536356.876717-192738
DESKTOP_SESSION	cinnamon
GTK_MODULES	gail:atk-bridge
QT_LINUX_ACCESSIBILITY_ALWAYS_ON	1
GDM_XSERVER_LOCATION	local
DBUS_SESSION_BUS_ADDRESS	unix:abstract=/tmp/dbus-pNAz1TwZQC,guid=433505cee65c3cd51794020a584e7365
MDMSESSION	cinnamon
MANDATORY_PATH	/usr/share/gconf/cinnamon.mandatory.path
LOGNAME	juancar
DEFAULTS_PATH	/usr/share/gconf/cinnamon.default.path
USERNAME	juancar
XDG_SESSION_ID	c1
WINDOWPATH	7
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/usr/bin
XDG_RUNTIME_DIR	/run/user/1000
DISPLAY	:0
LANG	es_ES.UTF-8
XAUTHORITY	/home/juancar/.Xauthority
XDG_SESSION_DESKTOP	cinnamon
SSH_AUTH_SOCK	/run/user/1000/keyring/ssh
SHELL	/bin/bash
GDMSESSION	cinnamon
QT_ACCESSIBILITY	1
XDG_VTNR	7
PWD	/home/juancar

XDG_DATA_DIRS	/usr/share/cinnamon:/usr/share/gnome:/usr/local/share/:/usr/share/
XDG_CONFIG_DIRS	/etc/xdg/xdg-cinnamon:/etc/xdg
MDM_XSERVER_LOCATION	local
GNOME_DESKTOP_SESSION_ID	this-is-deprecated
QT_STYLE_OVERRIDE	gtk
GTK_OVERLAY_SCROLLING	1
SESSION_MANAGER	local/LUNA-PC:@/tmp/.ICE-unix/2050,unix/LUNA-PC:/tmp/.ICE-un
XDG_CURRENT_DESKTOP	X-Cinnamon
GJS_DEBUG_OUTPUT	stderr
GJS_DEBUG_TOPICS	JS ERROR;JS LOG
CINNAMON_VERSION	3.0.7
GIO_LAUNCHED_DESKTOP_FILE	/usr/share/applications/hardinfo.desktop
GIO_LAUNCHED_DESKTOP_FILE_PID	3041

Users

Users	
root	root
daemon	daemon
bin	bin
sys	sys
sync	sync
games	games
man	man
lp	lp
mail	mail
news	news
uucp	uucp
proxy	proxy
www-data	www-data
backup	backup
list	Mailing List Manager
irc	ircd
gnats	Gnats Bug-Reporting System (admin)
nobody	nobody
systemd-timesync	systemd Time Synchronization
systemd-network	systemd Network Management
systemd-resolve	systemd Resolver
systemd-bus-proxy	systemd Bus Proxy
syslog	
_apt	
messagebus	
uidd	
ntp	
avahi-autoipd	Avahi autoip daemon

avahi	Avahi mDNS daemon
dnsmasq	dnsmasq
colord	colord colour management daemon
speech-dispatcher	Speech Dispatcher
hplip	HPLIP system user
kernoops	Kernel Oops Tracking Daemon
pulse	PulseAudio daemon
nm-openvpn	NetworkManager OpenVPN
rtkit	RealtimeKit
saned	
usbmux	usbmux daemon
mdm	MDM Display Manager
juancar	Juan Carlos Polo Madrid
sshd	

Devices

Processor

Processors

Intel(R) Core(TM)2 CPU 4400 @ 2.00GHz 800,00MHz
 Intel(R) Core(TM)2 CPU 4400 @ 2.00GHz 800,00MHz

Memory

Memory

Total Memory	3329036 kB
Free Memory	2189780 kB
MemAvailable	2746460 kB
Buffers	61844 kB
Cached	695772 kB
Cached Swap	0 kB
Active	483176 kB
Inactive	544368 kB
Active(anon)	271536 kB
Inactive(anon)	83392 kB
Active(file)	211640 kB
Inactive(file)	460976 kB
Unevictable	0 kB
Mlocked	0 kB
Virtual Memory	3698684 kB
Free Virtual Memory	3698684 kB
Dirty	45840 kB
Writeback	0 kB

AnonPages	269952 kB
Mapped	139164 kB
Shmem	84992 kB
Slab	62968 kB
SReclaimable	41456 kB
SUnreclaim	21512 kB
KernelStack	5952 kB
PageTables	17516 kB
NFS_Unstable	0 kB
Bounce	0 kB
WritebackTmp	0 kB
CommitLimit	5363200 kB
Committed_AS	1621368 kB
VmallocTotal	34359738367 kB
VmallocUsed	0 kB
VmallocChunk	0 kB
HardwareCorrupted	0 kB
AnonHugePages	20480 kB
CmaTotal	0 kB
CmaFree	0 kB
HugePages_Total	0
HugePages_Free	0
HugePages_Rsvd	0
HugePages_Surp	0
Hugepagesize	2048 kB
DirectMap4k	93056 kB
DirectMap2M	3305472 kB

PCI Devices

PCI Devices

Host bridge	Intel Corporation 82945G/GZ/P/PL Memory Controller Hub (rev 02)
VGA compatible controller	Intel Corporation 82945G/GZ Integrated Graphics Controller (rev 02) (prog-if 00 [VGA controller])
Audio device	Intel Corporation NM10/ICH7 Family High Definition Audio Controller (rev 01)
PCI bridge	Intel Corporation NM10/ICH7 Family PCI Express Port 1 (rev 01) (prog-if 00 [Normal decode])
PCI bridge	Intel Corporation NM10/ICH7 Family PCI Express Port 4 (rev 01) (prog-if 00 [Normal decode])
USB controller	Intel Corporation NM10/ICH7 Family USB UHCI Controller #1 (rev 01) (prog-if 00 [UHCI])
USB controller	Intel Corporation NM10/ICH7 Family USB UHCI Controller #2 (rev 01) (prog-if 00 [UHCI])
USB controller	Intel Corporation NM10/ICH7 Family USB UHCI Controller #3 (rev 01) (prog-if 00 [UHCI])

USB controller	Intel Corporation NM10/ICH7 Family USB UHCI Controller #4 (rev 01) (prog-if 00 [UHCI])
USB controller	Intel Corporation NM10/ICH7 Family USB2 EHCI Controller (rev 01) (prog-if 20 [EHCI])
PCI bridge	Intel Corporation 82801 PCI Bridge (rev e1) (prog-if 01 [Subtractive decode])
ISA bridge	Intel Corporation 82801GB/GR (ICH7 Family) LPC Interface Bridge (rev 01)
IDE interface	Intel Corporation 82801G (ICH7 Family) IDE Controller (rev 01) (prog-if 8a [Master SecP PriP])
IDE interface	Intel Corporation NM10/ICH7 Family SATA Controller [IDE mode] (rev 01) (prog-if 8f [Master SecP SecO PriP PriO])
SMBus	Intel Corporation NM10/ICH7 Family SMBus Controller (rev 01)
SATA controller	JMicron Technology Corp. JMB361 AHCI/IDE (rev 02) (prog-if 01 [AHCI 1.0])
IDE interface	JMicron Technology Corp. JMB361 AHCI/IDE (rev 02) (prog-if 85 [Master SecO PriO])
Ethernet controller	Realtek Semiconductor Co., Ltd. RTL-8110SC/8169SC Gigabit Ethernet (rev 10)

USB Devices

Printers

Printers

No printers found

Battery

No batteries

No batteries found on this system

Sensors

Input Devices

Input Devices

Power Button
Power Button
Logitech USB Receiver
Logitech USB Receiver
HDA Intel Rear Mic
HDA Intel Front Mic
HDA Intel Line
HDA Intel Line Out Front
HDA Intel Line Out Surround

HDA Intel Line Out CLFE
HDA Intel Line Out Side

Storage

SCSI Disks

ATA Maxtor 6L200P0
SAMSUNG DVD-ROM SD-616E
Linux File-CD Gadget
Linux File-CD Gadget

DMI

BIOS

Date 09/24/2006
Vendor Phoenix Technologies, LTD (www.phoenix.com)
Version 6.00 PG

Board

Name 945 7MD Series
Vendor Foxconn

Resources

I/O Ports

0000-0cf7	PCI Bus 0000:00
0000-001f	dma1
0020-0021	pic1
0040-0043	timer0
0050-0053	timer1
0060-0060	keyboard
0061-0061	PNP0800:00
0064-0064	keyboard
0070-0073	rtc0
0080-008f	dma page reg
00a0-00a1	pic2
00c0-00df	dma2
00f0-00ff	PNP0C04:00
00f0-00ff	fpu
0170-0177	Intel Corporation 82801G (ICH7 Family) IDE Controller (rev 01) (prog-if 8a [Master SecP PriP])
0170-0177	ata_piix
01f0-01f7	Intel Corporation 82801G (ICH7 Family) IDE Controller (rev 01) (prog-if 8a [Master SecP PriP])
01f0-01f7	ata_piix
0290-0297	pnp 00:00

02f8-02ff	serial
0376-0376	Intel Corporation 82801G (ICH7 Family) IDE Controller (rev 01) (prog-if 8a [Master SecP PriP])
0376-0376	ata_piix
0378-037a	parport0
03c0-03df	vga+
03f2-03f2	floppy
03f4-03f5	floppy
03f6-03f6	Intel Corporation 82801G (ICH7 Family) IDE Controller (rev 01) (prog-if 8a [Master SecP PriP])
03f6-03f6	ata_piix
03f7-03f7	floppy
0400-047f	Intel Corporation 82801GB/GR (ICH7 Family) LPC Interface Bridge (rev 01)
0400-0403	ACPI PM1a_EVT_BLK
0404-0405	ACPI PM1a_CNT_BLK
0408-040b	ACPI PM_TMR
0428-042f	ACPI GPE0_BLK
0430-0433	iTCO_wdt.0.auto
0460-047f	iTCO_wdt.0.auto
0480-04bf	Intel Corporation 82801GB/GR (ICH7 Family) LPC Interface Bridge (rev 01)
04d0-04d1	pnp 00:00
0500-051f	Intel Corporation NM10/ICH7 Family SMBus Controller (rev 01)
0800-087f	pnp 00:00
0880-088f	pnp 00:00
0cf8-0cff	PCI conf1
0d00-ffff	PCI Bus 0000:00
c000-cfff	PCI Bus 0000:01
d000-dfff	PCI Bus 0000:03
de00-deff	Realtek Semiconductor Co., Ltd. RTL-8110SC/8169SC Gigabit Ethernet (rev 10)
de00-deff	RealTek RTL-8169 Gigabit Ethernet driver
e000-ffff	PCI Bus 0000:02
eb00-eb0f	JMicron Technology Corp. JMB361 AHCI/IDE (rev 02) (prog-if 85 [Master SecO PriO])
eb00-eb0f	SCSI low-level driver for Jmicron PATA ports
ec00-ec03	JMicron Technology Corp. JMB361 AHCI/IDE (rev 02) (prog-if 85 [Master SecO PriO])
ec00-ec03	SCSI low-level driver for Jmicron PATA ports
ed00-ed07	JMicron Technology Corp. JMB361 AHCI/IDE (rev 02) (prog-if 85 [Master SecO PriO])
ed00-ed07	SCSI low-level driver for Jmicron PATA ports
ee00-ee03	JMicron Technology Corp. JMB361 AHCI/IDE (rev 02) (prog-if 85 [Master SecO PriO])
ee00-ee03	SCSI low-level driver for Jmicron PATA ports

ef00-ef07	JMicron Technology Corp. JMB361 AHCI/IDE (rev 02) (prog-if 85 [Master SecO PriO])
ef00-ef07	SCSI low-level driver for Jmicron PATA ports
f500-f50f	Intel Corporation NM10/ICH7 Family SATA Controller [IDE mode] (rev 01) (prog-if 8f [Master SecP SecO PriP PriO])
f500-f50f	ata_piix
f600-f603	Intel Corporation NM10/ICH7 Family SATA Controller [IDE mode] (rev 01) (prog-if 8f [Master SecP SecO PriP PriO])
f600-f603	ata_piix
f700-f707	Intel Corporation NM10/ICH7 Family SATA Controller [IDE mode] (rev 01) (prog-if 8f [Master SecP SecO PriP PriO])
f700-f707	ata_piix
f800-f803	Intel Corporation NM10/ICH7 Family SATA Controller [IDE mode] (rev 01) (prog-if 8f [Master SecP SecO PriP PriO])
f800-f803	ata_piix
f900-f907	Intel Corporation NM10/ICH7 Family SATA Controller [IDE mode] (rev 01) (prog-if 8f [Master SecP SecO PriP PriO])
f900-f907	ata_piix
fa00-fa0f	Intel Corporation 82801G (ICH7 Family) IDE Controller (rev 01) (prog-if 8a [Master SecP PriP])
fa00-fa0f	ata_piix
fb00-fb1f	Intel Corporation NM10/ICH7 Family USB UHCI Controller #4 (rev 01) (prog-if 00 [UHCI])
fb00-fb1f	uhci_hcd
fc00-fc1f	Intel Corporation NM10/ICH7 Family USB UHCI Controller #3 (rev 01) (prog-if 00 [UHCI])
fc00-fc1f	uhci_hcd
fd00-fd1f	Intel Corporation NM10/ICH7 Family USB UHCI Controller #2 (rev 01) (prog-if 00 [UHCI])
fd00-fd1f	uhci_hcd
fe00-fe1f	Intel Corporation NM10/ICH7 Family USB UHCI Controller #1 (rev 01) (prog-if 00 [UHCI])
fe00-fe1f	uhci_hcd
ff00-ff07	Intel Corporation 82945G/GZ Integrated Graphics Controller (rev 02) (prog-if 00 [VGA controller])

Memory

00000000-00000fff	reserved
00001000-0009f3ff	System RAM
0009f400-0009ffff	reserved
000a0000-000bffff	PCI Bus 0000:00
000c0000-000dffff	PCI Bus 0000:00
000c0000-000c7fff	Video ROM
000ce800-000cffff	pnp 00:07

000e0000- 000effff	pnp 00:07
000f0000- 000fffff	reserved
000f0000- 000fffff	System ROM
00100000- cf6dffff	System RAM
01000000- 01835585	Kernel code
01835586- 01f40ebf	Kernel data
020bd000- 021fffff	Kernel bss
cf6e0000- cf6e2fff	ACPI Non-volatile Storage
cf6e3000- cf6effff	ACPI Tables
cf6f0000- cf6fffff	reserved
cf700000- febfffff	PCI Bus 0000:00
cf800000- cfffffff	reserved
cf800000- cffbffff	Graphics Stolen Memory
d0000000- dfffffff	Intel Corporation 82945G/GZ Integrated Graphics Controller (rev 02) (prog-if 00 [VGA controller])
e0000000- efffffff	PCI MMCONFIG 0000 [bus 00-ff]
e0000000- efffffff	reserved
e0000000- efffffff	pnp 00:06
fd900000- fd9fffff	PCI Bus 0000:01
fda00000- fdafffff	PCI Bus 0000:03
fdb00000- fdbfffff	PCI Bus 0000:03
fdb00000- fdb1ffff	Realtek Semiconductor Co., Ltd. RTL-8110SC/8169SC Gigabit Ethernet (rev 10)
fdbff000- fdbff0ff	Realtek Semiconductor Co., Ltd. RTL-8110SC/8169SC Gigabit Ethernet (rev 10)
fdbff000- fdbff0ff	RealTek RTL-8169 Gigabit Ethernet driver
fdc00000- fdcfffff	PCI Bus 0000:01
fdd00000- fddfffff	PCI Bus 0000:02

fde00000- fdefffff	PCI Bus 0000:02
fde00000- fde0ffff	JMicron Technology Corp. JMB361 AHCI/IDE (rev 02) (prog-if 01 [AHCI 1.0])
fdefe000- fdefffff	JMicron Technology Corp. JMB361 AHCI/IDE (rev 02) (prog-if 01 [AHCI 1.0])
fdefe000- fdefffff	AHCI SATA low-level driver
fdf00000- fdf7ffff	Intel Corporation 82945G/GZ Integrated Graphics Controller (rev 02) (prog-if 00 [VGA controller])
fdf80000- fdfbffff	Intel Corporation 82945G/GZ Integrated Graphics Controller (rev 02) (prog-if 00 [VGA controller])
fdff8000- fdffbfff	Intel Corporation NM10/ICH7 Family High Definition Audio Controller (rev 01)
fdff8000- fdffbfff	ICH HD audio
fdffe000- fdffe3ff	Intel Corporation NM10/ICH7 Family SATA Controller [IDE mode] (rev 01) (prog-if 8f [Master SecP SecO PriP PriO])
fdfff000- fdfff3ff	Intel Corporation NM10/ICH7 Family USB2 EHCI Controller (rev 01) (prog-if 20 [EHCI])
fdfff000- fdfff3ff	ehci_hcd
fec00000- ffffffff	reserved
fec00000- fec003ff	IOAPIC 0
fed13000- fed1dfff	pnp 00:07
fed1f410- fed1f414	iTCO_wdt.0.auto
fed20000- fed8ffff	pnp 00:07
fee00000- fee00fff	Local APIC
fee00000- fee00fff	pnp 00:07
ffb00000- ffb7ffff	pnp 00:07
ffb80000- ffbfffff	INT0800:00
fff00000- fffffff	pnp 00:07

DMA

2	floppy
4	cascade

Network

Interfaces

Network Interfaces

lo	0,02MiB	0,02MiB	127.0.0.1
enp3s3	2,90MiB	0,15MiB	192.168.1.72

IP Connections

Connections

0.0.0.0:445	ESCUCHAR	0.0.0.0:*	tcp
0.0.0.0:139	ESCUCHAR	0.0.0.0:*	tcp
127.0.1.1:53		0.0.0.0:*	udp
0.0.0.0:22	ESCUCHAR	0.0.0.0:*	tcp
127.0.0.1:631	ESCUCHAR	0.0.0.0:*	tcp
192.168.1.72:39046	ESTABLECIDO	192.168.1.50:445	tcp
192.168.1.72:39044	ESTABLECIDO	192.168.1.50:445	tcp
192.168.1.72:39050	ESTABLECIDO	192.168.1.50:445	tcp
192.168.1.72:53438	TIME_WAIT	150.214.5.135:80	tcp
192.168.1.72:39042	ESTABLECIDO	192.168.1.50:445	tcp
192.168.1.72:39048	ESTABLECIDO	192.168.1.50:445	tcp
:::445	ESCUCHAR	:::*	tcp6
:::139	ESCUCHAR	:::*	tcp6
:::22	ESCUCHAR	:::*	tcp6
:::1:631	ESCUCHAR	:::*	tcp6
0.0.0.0:5353		0.0.0.0:*	udp
0.0.0.0:55252		0.0.0.0:*	udp
127.0.1.1:53		0.0.0.0:*	udp
192.168.1.72:123		0.0.0.0:*	udp
127.0.0.1:123		0.0.0.0:*	udp
0.0.0.0:123		0.0.0.0:*	udp
192.168.1.255:137		0.0.0.0:*	udp
192.168.1.72:137		0.0.0.0:*	udp
0.0.0.0:137		0.0.0.0:*	udp
192.168.1.255:138		0.0.0.0:*	udp
192.168.1.72:138		0.0.0.0:*	udp
0.0.0.0:138		0.0.0.0:*	udp
0.0.0.0:631		0.0.0.0:*	udp
:::5353		:::*	udp6
:::34704		:::*	udp6
fe80::9c35:19b1:f5e:123		:::*	udp6
:::1:123		:::*	udp6
:::123		:::*	udp6

Routing Table

IP routing table

0.0.0.0 / 192.168.1.1	0.0.0.0	UG	enp3s3
169.254.0.0 / 0.0.0.0	255.255.0.0	U	enp3s3
192.168.1.0 / 0.0.0.0	255.255.255.0	U	enp3s3

ARP Table

ARP Table

192.168.1.1	5c:33:8e:ff:59:c0	enp3s3
192.168.1.50	00:0e:0c:33:ae:d4	enp3s3

DNS Servers

Name servers

127.0.1.1

Statistics

IP

2638	Total packets received
3	With invalid addresses
0	Incoming packets discarded
0	Incoming packets discarded
2622	Incoming packets delivered
1879	Requests sent out
24	Outgoing packets dropped

ICMP

51	ICMP messages received
0	ICMP messages failed
48	ICMP messages sent
0	ICMP messages failed

ICMPMSG

TCP

14	Active connections openings
0	Bad segments received.
1	Failed connection attempts
0	Bad segments received.
5	Connections established
2269	Segments received
1548	Segments send out
6	Segments retransmitted
0	Bad segments received.

3	Resets sent
UDP	
241	Packets received
48	Packets to unknown port received.
0	Packet receive errors
271	Packets sent
UDPLITE	
TCPEXT	
5	TCP sockets finished time wait in fast timer
41	Delayed acks sent
1188	Packets directly queued to recvmmsg prequeue.
1448	Bytes directly in process context from backlog
1237280	Bytes directly received in process context from prequeue
1115	Packet headers predicted
918	Packets header predicted and directly queued to user
36	Acknowledgments not containing data payload received
268	Predicted acknowledgments
6	Retransmits in slow start
1	Connections reset due to unexpected data
1	Connections reset due to unexpected data
IPEXT	

Shared Directories

SAMBA

NFS

Benchmarks

CPU Blowfish

CPU Blowfish

This Machine	800 MHz	8,752
Intel(R) Celeron(R) M processor 1.50GHz	(null)	26.1876862
PowerPC 740/750 (280.00MHz)	(null)	172.816713

CPU CryptoHash

CPU CryptoHash

This Machine 800 MHz 155,072

CPU Fibonacci

CPU Fibonacci

This Machine	800 MHz	5,893
Intel(R) Celeron(R) M processor 1.50GHz	(null)	8.1375674
PowerPC 740/750 (280.00MHz)	(null)	58.07682

CPU N-Queens

CPU N-Queens

This Machine 800 MHz 75,270

FPU FFT

FPU FFT

This Machine 800 MHz 4,888

FPU Raytracing

FPU Raytracing

This Machine	800 MHz	37,656
Intel(R) Celeron(R) M processor 1.50GHz	(null)	40.8816714
PowerPC 740/750 (280.00MHz)	(null)	161.312647